HEALTH PROMOTION 2003 Health and Preventive Practices Status Report ۵ DEPARTMENT OF HEALTH AND SENIOR SERVICES.CHRONIC DISEEASE PREVENTION AN

from Missouri County-level Study



MISSOU

	County Prevalence (%)*	Southeast Region Prevalence (%)*	State Prevalence (%)*
G_{eneral}			
Health Status (Fair or Poor)	17.4	23.2 H	16.9
No Health Coverage	17.4	17.4H	12.3
Behavioral Risk Factors			
Physical Inactivity	25.3	30.6 H	23.0
Current Smoker	21.0	28.1	26.5
Overweight (BMI 25-29.9)	34.0	36.9	35.3
Obese (BMI ≥ 30)	30.7	26.9	23.4
Disease and Conditions			
High Blood Pressure	26.0	30.0	28.5
High Cholesterol (35 years or older)	35.4	38.2	37.3
Asthma	17.5	12.3	10.7
Diabetes	6.5	7.5	7.2
Activity Limitation	18.5	20.6	17.8
Women Never had a Mammogram	28.3 H	20.5 H	13.4
No Mammogram or Clinical Breast Exam in Last Year:			
40-49 years of age	70.6	58.0	49.4
50-64 years of age	40.2	44.8	35.9
65 and older	43.8	52.9	47.4
Never had a Pap Test:			
18-69 years of age	1.3	3.8	5.1
70 and older	11.5	8.2	6.4
70 and older No Pap Test in Last Year (18-29)	11.5 18.6	23.5	6.4 25.8
No Pap Test in Last Year (18-29) No Pap Test in Last 3 Years (30-69)			
No Pap Test in Last Year (18-29) No Pap Test in Last 3 Years (30-69) Men and Women 50 Years or Older	18.6	23.5	25.8
No Pap Test in Last Year (18-29) No Pap Test in Last 3 Years (30-69) Men and Women 50 Years or Older Blood Stool Test:	18.6	23.5 15.4	25.8
No Pap Test in Last Year (18-29) No Pap Test in Last 3 Years (30-69) Men and Women 50 Years or Older Blood Stool Test: Never had a Blood Stool Test	18.6 18.3 59.5	23.5 15.4 63.1 H	25.8 13.8 57.0
No Pap Test in Last Year (18-29) No Pap Test in Last 3 Years (30-69) Men and Women 50 Years or Older Blood Stool Test: Never had a Blood Stool Test No Blood Stool Test in Last Year	18.6	23.5 15.4	25.8
No Pap Test in Last Year (18-29) No Pap Test in Last 3 Years (30-69) Men and Women 50 Years or Older Blood Stool Test: Never had a Blood Stool Test	18.6 18.3 59.5	23.5 15.4 63.1 H	25.8 13.8 57.0

*Prevalence rates are age adjusted to the 2000 U.S. standard population

- indicates that the prevalence rate is not significantly above or below state prevalence
- indicates that the prevalence rate is significantly above the state prevalence
- indicates that the prevalence rate is significantly below the state prevalence

Unless otherwise noted respondents are 18 years of age or older

^{**} The best indicators for Wright county were obtained by combining data from Wright and Texas counties.